



Revision Number: 001.0

Issue date: 11/10/2025

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: Joico LumiShine Demi-Permanent Liquid Color 7M (7.037) - Mocha Medium Blonde

Recommended use of the chemical and restrictions on use: Hair Color/Toner, oxidative dyes

Name, address and telephone number of the chemical manufacturer:

Henkel Corporation
One Henkel Way
Rocky Hill CT 06067

CHEMTREC: 1-800-424-9300 (24 hours daily)
Internet: www.henkel-northamerica.com

Emergency telephone number: Medical Emergencies:1-800-258-3425

2. HAZARDS IDENTIFICATION

The hazards described in this Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

HAZARD CLASS	HAZARD CATEGORY
FLAMMABLE LIQUID	3
SKIN IRRITATION	2
SERIOUS EYE DAMAGE	1

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: DANGER

Hazard Statement(s):

Flammable liquid and vapour.
Causes skin irritation.
Causes serious eye damage.

Symbol(s):



Precautionary Statements:

Prevention:

Keep away from heat, sparks, open flames, hot surfaces - no smoking.
Keep container tightly closed.
No release into water.
Use explosion-proof equipment.
Use non-sparking tools.
Take action to prevent static discharges.

Response:

Wash affected area thoroughly after handling.
Wear protective gloves, eye protection, and face protection.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical attention.
Take off contaminated clothing.

Storage:

In case of fire: Use foam, dry chemical or carbon dioxide to extinguish.

Disposal:

Store in a well-ventilated place. Keep cool.
Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Hazards not otherwise classified:

Not available.

Percentage of ingredient(s) with unknown toxicity:

2 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Propane-1,2-diol	57-55-6	>= 20 - < 30 %
Alcohols, C 12-15, ethoxylate	68131-39-5	>= 20 - < 30 %
Fatty alcohol ethoxylate C12 23EO	9002-92-0	>= 5 - < 10 %
2-Propanol	67-63-0	>= 5 - < 10 %
Monoethanolamine	141-43-5	>= 1 - < 5 %
N-(2-Hydroxyethyl)dodecanamide	142-78-9	>= 1 - < 5 %
Cetrimonium chloride	112-02-7	>= 1 - < 5 %
Oleic acid	112-80-1	>= 1 - < 5 %
benzyl alcohol	100-51-6	>= 1 - < 5 %
N-2-Hydroxyethylacetamide	142-26-7	>= 1 - < 5 %

*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

Actual concentration or concentration range is withheld as a trade secret

4. FIRST AID MEASURES

Description of necessary measures

Inhalation: First aid measures not required.
Skin contact: Rinse with running water and soap.
Eye contact: Rinse eyes with plenty of water until no evidence of product remains. Get medical attention if pain or irritation develops.
Ingestion: Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

Most important symptoms and effects, both acute and delayed

After eye contact: May cause mild to severe irritation with possibility of permanent eye damage. After skin contact: No adverse effects anticipated from normal use. After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting.

After inhalation: Unlikely to occur due to the physical properties of the product.

Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes with plenty of water until no evidence of product remains. After skin contact: Rinse affected area with mild soap and water until no evidence of product remains. After ingestion: Administer immediately plenty of water. With ingestion of larger quantities (in adults one tablespoon) or in the case of discomfort or pain seek immediate medical attention. After inhalation: Remove from exposure area to fresh air.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Alcohol resistant foam, dry chemical or carbon dioxide. For larger fires, flood with fine water spray or alcohol-resistant foam.

Unsuitable extinguishing media: Not available.

Specific hazards arising from the chemical

carbon oxides. Hydrogen chloride. nitrogen oxides Sulphur oxides

Special protective equipment and precautions for fire-fighters

Shut off all ignition sources Move containers from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Use flooding amounts of water as a fog. Cool the packaging with spray water from a protected area. Remove products unaffected by fire from the hazardous area. Avoid breathing vapors; keep upwind. keep upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop leak if you can do it without risk. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

Environmental precautions

Small or household quantities may be disposed in regular domestic trash. For larger quantities check with your local disposal authorities.

Methods and materials for containment and cleaning up

SMALL SPILLS: Pick up small spills with towels, tissue, etc. and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

7. HANDLING AND STORAGE

Precautions for safe handling

No unusual handling requirements Do not get in eyes. Do not take internally.

Conditions for safe storage, including any incompatibilities

Flammable liquid. Store away from incompatible substances, excessive heat, flames, sparks or other ignition sources. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Propane-1,2-diol	None	None	10 mg/m3 TWA Aerosol.	None
Alcohols, C 12-15, ethoxylate	None	None	None	None
Fatty alcohol ethoxylate C12 23EO	None	None	None	None
2-Propanol	200 ppm TWA 400 ppm STEL	400 ppm (980 mg/m3) PEL	None	None
Monoethanolamine	6 ppm STEL 3 ppm TWA	3 ppm (6 mg/m3) PEL	None	None
N-(2-Hydroxyethyl)dodecanamide	None	None	None	None
Oleic acid	None	None	None	None
benzyl alcohol	None	None	10 ppm (44.20 mg/m3) TWA	None

Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

Individual protection measures

Respiratory:

Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits.

Eye:	Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.
Hand/Body:	Protective gloves are required where repeated or prolonged skin contact may occur. Protective clothing is required where repeated or prolonged skin contact may occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	liquid amber
Odor:	characteristic
Odor threshold:	Not available.
pH:	9.70 - 10.70 (25 °C)
Melting point/ range:	Not available.
Boiling point/range:	Not available.
Flash point:	48.88 °C (119.98 °F) ASTM D56: Flash point in closed cup
Evaporation rate:	Not available.
Flammable/Explosive limits - lower:	Not available.
Flammable/Explosive limits - upper:	Not available.
Vapor pressure:	Not available.
Vapor density:	Not available.
Solubility in water:	Partially soluble
Partition coefficient (n-octanol/water):	Not available.
Autoignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	5,000 - 20,000 mPa.s
VOC content:	Not available.

10. STABILITY AND REACTIVITY

Reactivity:	Not available.
Chemical stability:	Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).
Possibility of hazardous reactions:	Hazardous polymerization has not been reported to occur under normal temperatures and pressures.
Conditions to avoid:	Avoid storing in direct sunlight and avoid extremes of temperature.
Incompatible materials:	Strong oxidizers.
Hazardous decomposition products:	Thermal decomposition may release toxic and/or hazardous gases, including hydrogen chloride and silicon dioxide.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure including symptoms related to characteristics

Inhalation:	Not an anticipated route of exposure.
Skin contact:	Repeated or prolonged excessive exposure may cause irritation or dermatitis.
Eye contact:	May cause moderate to severe irritation, with possibility of corneal injury.
Ingestion:	Nausea and possible vomiting may occur.
Physical/Chemical:	The product is flammable.
Other relevant toxicity information:	This product is a personal care or cosmetic product. The use of this product by consumers is safe under normal and reasonable foreseen use.

Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Propane-1,2-diol	Oral LD50 (RABBIT) = 18 g/kg Oral LD50 (RAT) = 30 g/kg Inhalation LC50 (RABBIT, 2 h) = > 317,042 mg/m3	Irritant
Alcohols, C 12-15, ethoxylate	Inhalation LC50 (RAT, 4 h) = > 1.6 mg/l Inhalation LC50 (RAT, 6 h) = > 100 mg/m3	No Target Organs
Fatty alcohol ethoxylate C12 23EO	None	Central nervous system, Irritant
2-Propanol	Oral LD50 (RAT) = 5,045 mg/kg Oral LD50 (RABBIT) = 6,410 mg/kg Oral LD50 (RAT) = 4.7 g/kg Oral LD50 (RABBIT) = 8.0 g/kg Oral LD50 (RABBIT) = 5.03 g/kg Dermal LD50 (RABBIT) = 12,800 mg/kg	Allergen, Central nervous system, Irritant
Monoethanolamine	Oral LD50 (RAT) = 10.2 g/kg Dermal LD50 (RABBIT) = 1,025 mg/kg Inhalation LC50 (RAT, 6 h) = > 1.3 mg/l	Irritant, Kidney, Liver, Corrosive, Respiratory, Developmental
N-(2-Hydroxyethyl)dodecanamide	None	No Target Organs
Cetrimonium chloride	None	No Data
Oleic acid	Oral LD50 (RAT) = 74 g/kg	Irritant, Eyes, Skin, Blood
benzyl alcohol	Oral LD50 (RAT) = 1,230 - 3,100 mg/kg Oral LD50 (RABBIT) = 1,940 mg/kg Oral LD50 (RAT) = 3,100 mg/kg Dermal LD50 (RABBIT) = 2,000 mg/kg Inhalation LC50 (RAT, 4 h) = 8.8 mg/l Inhalation LC50 (RAT, 4 h) = > 4,178 mg/l	Allergen, Central nervous system, Corrosive, Irritant
N-2-Hydroxyethylacetamide	None	No Data

Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Propane-1,2-diol	No	No	No
Alcohols, C 12-15, ethoxylate	No	No	No
Fatty alcohol ethoxylate C12 23EO	No	No	No
2-Propanol	No	Group 1	No
Monoethanolamine	No	No	No
N-(2-Hydroxyethyl)dodecanamide	No	No	No
Cetrimonium chloride	No	No	No
Oleic acid	No	No	No
benzyl alcohol	No	No	No
N-2-Hydroxyethylacetamide	No	No	No

Carcinogenicity

None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

Mutagenicity

None of the ingredients in this product are known to cause mutagenicity.

Toxicity for reproduction

None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

Toxicity to fish:

The aquatic toxicity profile of this product has not been determined.

Chronic toxicity to aquatic invertebrates

The aquatic toxicity profile of this product has not been determined.

Toxicity to algae:

The aquatic toxicity profile of this product has not been determined.

Persistence and degradability

Hazardous substances CAS-No.	Result value	Route of application	Species	Method
Propane-1,2-diol 57-55-6	readily biodegradable	aerobic	> 81.7 - 100 %	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
Fatty alcohol, C12-15, ethoxylate 68131-39-5	readily biodegradable	aerobic	71 %	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
Fatty alcohol ethoxylate C12 23EO 9002-92-0	readily biodegradable	no data	89 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Propan-2-ol 67-63-0	readily biodegradable	aerobic	70 - 84 %	EU Method C.4-E (Determination of the "Ready" Biodegradability Closed Bottle Test)
2-aminoethanol 141-43-5	readily biodegradable	aerobic	> 80 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Dodecanamide, N-(2-hydroxyethyl)- 142-78-9	not readily biodegradable.	aerobic	69 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Cetrimonium chloride 112-02-7	inherently biodegradable	aerobic	75 %	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
	readily biodegradable	aerobic	95 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Oleic acid 112-80-1	readily biodegradable	aerobic	93 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
benzyl alcohol 100-51-6	readily biodegradable	aerobic	92 - 96 %	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))
N-2-Hydroxyethylacetamide 142-26-7	not readily biodegradable.	aerobic	48 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

Bioaccumulative potential

The bioaccumulation potential of this product has not been determined.

Mobility in soil

The mobility of this product (in soil and water) has not been determined.

13. DISPOSAL CONSIDERATIONS

Description of waste residues:

Hazardous waste number: D001 (Ignitability)

Safe handling and disposal methods:

Recommended method of disposal: This product is a RCRA characteristic (ignitable) hazardous waste and must be disposed of in a RCRA Subtitle C landfill.

Disposal of uncleaned packages: Do not reuse this container.

14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Combustible liquid, n.o.s. (2-Propanol, Alcohol C12-C16 poly (1-6) ethoxylate)
Hazard class or division: Combustible Liquid
Identification number: NA 1993
Packing group: III
Marine pollutant: Alcohol C12-C16 poly (1-6) ethoxylate

International Air Transportation (ICAO/IATA)

Proper shipping name: Alcohols, n.o.s. (2-Propanol, Alcohol C12-C16 poly (1-6) ethoxylate)
Hazard class or division: 3
Identification number: UN 1987
Packing group: III

Water Transportation (IMO/IMDG)

Proper shipping name: ALCOHOLS, N.O.S. (2-Propanol, Alcohol C12-C16 poly (1-6) ethoxylate)
Hazard class or division: 3
Identification number: UN 1987
Packing group: III
Marine pollutant: Alcohol C12-C16 poly (1-6) ethoxylate

15. REGULATORY INFORMATION

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: None above reporting de minimis.

CERCLA/SARA Section 311/312: Not available.

CERCLA/SARA Section 313: The following components are subject to reporting levels established by SARA Title III, Section 313:
2-Propanol (CAS# 67-63-0).

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDL Status: One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: R&D Support Services

Issue date: 11/10/2025