

MENZ 5 Minute Haircolor		SAFETY DATA SHEET		Page 1 of 4
Prepared to US-OSHA & GHS Standards		SDS Revision: 3.0	SDS Revision Date: 06Feb17	
1. PRODUCT AND COMPANY IDENTIFICATION				
1.1	Product Name:	Scruples MENZ 5 Minute Haircolor 1N, 3N, 5N, 6BBV, 7GR, 7N, 9BVV, 9N		
1.2	Product Code:	170200, 170300, 170400, 170500, 170600, 170700, 170800, 170900		
1.3	Product Uses & Restrictions:	Cosmetic - Permanent Hair Color for Professional Use Only		
1.4	Supplier Name:	Scruples Professional Salon Products, Inc.		
1.5	Supplier Address:	8231 214th Street West, Lakeville, MN 55044, USA		
1.6	Business Phone:	952-469-4646		
1.7	Emergency Phone:	CHEMTREC: 800-424-9300 (North America) 1-703-527-3887 (Outside North America)		
2. HAZARDS IDENTIFICATION				
2.1	Hazard Identification:	Hazard Classifications: Flammable Liquid - Category 3; Serious Eye Damage/Irritation - Category 1; Skin Irritation - Category 2; Skin Sensitization - Category 1; Carcinogenicity - Category 2; Mutagenicity - Category 2; Aquatic Acute Toxicity - Category 2 Hazard Statements: Flammable Liquid and Vapour. Causes Serious Eye Damage. Causes skin irritation. May cause an allergic skin reaction. Suspected of causing cancer. Suspected of causing genetic defects. Toxic to aquatic life. Hazard Signal Word: Danger Hazard Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces - No smoking. Keep container tightly closed. Store in well ventilated place. Keep cool. Avoid direct eye contact. Avoid breathing vapors/mist. Wear protective gloves, protective clothing and eye protection. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid release to the environment.		Hazard Symbols:    
3. COMPOSITION / INFORMATION ON INGREDIENTS				
Non-Hazardous Ingredients: Composition of non-hazardous ingredients is considered confidential and are withheld.				
Hazardous Ingredients:				
CHEMICAL NAME		CAS No.	GHS Hazard Classification	% by Weight
Isopropanol		67-63-0	Flammable Liquid , Cat 2; Serious Eye Damage/Irritation, Cat 2A; STOT SE, Cat 3	10 - 20
Alcohols, C10-16		67762-41-8	Serious Eye Damage/Irritation, Cat 2A; Aquatic Acute Toxicity, Cat 1; Aquatic Chronic Toxicity, Cat 2	1 - 15
Lauramide DEA		120-40-1	Serious Eye Damage/Irritation, Cat 2A; Skin Irritation, Cat 2; Carcinogenicity, Cat 2; STOT-SE, Cat 2	1 - 10
Ethanolamine		141-43-5	Skin Corrosion, Cat 1A; STOT-SE, Cat 3; Acute Toxicity (Derm, Oral, Inhal), Cat 4; Aquatic Acute Toxicity, Cat 3	1 - 5
Octoxynol-9		9036-19-5	Serious Eye Damage/Irritation, Cat 2A; Skin Irritation, Cat 2; Acute Toxicity (Oral), Cat 3	1 - 5
p-Phenylenediamine		106-50-3	Skin Sensitization, Cat 1; Serious Eye Damage/Irritation, Cat 2; Acute Toxicity (Oral, Dermal, Inhalation), Cat 4; Aquatic Acute/Chronic Toxicity, Cat 1	1 - 3
p-Aminophenol		123-30-8	Acute Toxicity (Oral, Inhalation), Cat 4; Mutagenicity, Cat 2; Aquatic Acute/Chronic Toxicity, Cat 1	1 - 3
2-Methylresorcinol		608-25-3	Skin Sensitization, Cat 1; Acute Toxicity (Oral), Cat 3; Serious Eye Damage/Irritation, Cat 1; Aquatic Acute Toxicity, Cat 1	< 1
Resorcinol		108-46-3	Skin Sensitization, Cat 1; Serious Eye Damage/Irritation, Cat 2; Skin Irritation, Cat 2; Acute Toxicity (Oral), Cat 4; Aquatic Acute Toxicity, Cat 1	< 1
2-Nitro-p-Phenylenediamine		5307-14-2	Skin Sensitization, Cat 1; Serious Eye Damage/Irritation, Cat 2A; Skin Irritation, Cat 2; STOT-SE, Cat 3	< 1
4-Nitro-o-Phenylenediamine		99-56-9	Skin Sensitization, Cat 1; Serious Eye Damage/Irritation, Cat 2A; Acute Toxicity (Oral), Cat 4	< 1
4. FIRST AID MEASURES				
4.1	First Aid:	Ingestion: In case of ingestion, do not induce vomiting without medical advice. Give victim several glasses of water to drink. Never give anything by mouth to an unconscious person. Seek medical attention if necessary. Eyes: If case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention. Skin: If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek medical attention in the event of an adverse reaction or if symptoms persist. Inhalation: If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the event of an adverse reaction or if symptoms persist.		

MENZ 5 Minute Haircolor		SAFETY DATA SHEET				Page 2 of 4	
Prepared to US-OSHA & GHS Standards				SDS Revision: 3.0		SDS Revision Date: 06Feb17	
4. FIRST AID MEASURES continued							
4.2	Effects of Exposure:	<u>Ingestion:</u> May cause gastrointestinal irritation. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). <u>Eyes:</u> Causes serious eye damage. <u>Skin:</u> Causes skin irritation. May cause allergic contact dermatitis to the skin of sensitive individuals. Prolonged/repeated exposure may cause defatting, drying and cracking of the skin. <u>Inhalation:</u> May cause irritation to respiratory tract. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness).					
4.3	Medical Conditions Aggravated by Exposure:	Prolonged/repeated skin contact may aggravate existing skin conditions.					
4.4	Notes to Physician:	Treat symptomatically. No specific antidotes are recommended.					
5. FIRE FIGHTING MEASURES							
5.1	Extinguishing Media:	<u>Suitable Extinguishing Media:</u> Use an appropriate media including water spray, dry chemical, foam, or carbon dioxide. <u>Unsuitable Extinguishing Media:</u> No information available.					
5.2	Specific Hazards:	<u>Hazardous Combustion Products:</u> May produce oxides of carbon and/or nitrogen on combustion.					
5.3	Special Protective Equipment/Precautions for Firefighters:	Wear self-contained breathing apparatus and full personal protective gear if large quantities of product are involved. Warning! Flammable liquid and vapour. When heated above the flash point, vapours may burn or form explosive mixture with air.					
6. ACCIDENTAL RELEASE MEASURES							
6.1	Personal Precautions:	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation.					
6.2	Environmental Precautions:	Dike or contain spill to prevent from entering drains. Avoid direct release to environment.					
6.3	Methods for Cleaning Up:	Clean up spill with appropriate absorbent material. Clean area to prevent a slip hazard. Dispose of all washings, sweepings, and absorbents in accordance with federal, state and local regulations.					
7. HANDLING AND STORAGE							
7.1	Precautions for Safe Handling:	Utilize safe handling and transportation techniques to avoid spillage of the product. Avoid eye contact. Do not eat, drink, or smoke while handling. Wash thoroughly after handling.					
7.2	Conditions for Safe Storage:	Store in a cool, dry, and well-ventilated area away from direct sun-light and incompatible materials (see Section 10). Keep away from ignition sources. Store at temperatures 4 to 40°C (39 to 104°F).					
8. EXPOSURE CONTROLS / PERSONAL PROTECTION							
Professional Salon Use: Wear protective gloves, clothing and eyewear. Avoid direct eye contact and prolonged skin contact. Use in a well-ventilated area.							
Industrial Setting / Workplace:							
8.1	Control Parameters:	CHEMICAL NAME	CAS Number	Airborne Exposure Limits			
				OSHA PEL (TWA)	ACGIH TLV (TWA)	NIOSH REL (TWA)	WEEL (TWA)
		Isopropanol	67-63-0	400 ppm	200 ppm	400 ppm	NE
		Ethanolamine	141-43-5	3 ppm	3 ppm	3 ppm	NE
		p-Phenylenediamine	106-50-3	0.1 mg/m3	0.1 mg/m3	0.1 mg/m3	NE
	Resorcinol	108-46-3	45 mg/m3	10 ppm	10 ppm	NE	
8.2	Engineering Controls:	General ventilation recommended.					
8.3	Respiratory Protection:	NIOSH approved respirator if airborne exposure limits are exceeded.					
8.4	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side-shield).					
8.5	Skin Protection:	Wear protective gloves and clothing to prevent skin contact.					
9. PHYSICAL AND CHEMICAL PROPERTIES							
9.1	Appearance:	Various shades of clear liquid					
9.2	Odor:	Herbal					
9.3	Odor Threshold:	No data available on this product					
9.4	pH:	9.6 - 10.4					
9.5	Melting Point:	NA					
9.6	Freezing Point:	No data available on this product					
9.7	Initial Boiling Point/Boiling Range:	No data available on this product					
9.8	Flashpoint:	25.6 C (78 F) Closed Cup					
9.9	Evaporation Rate:	No data available on this product					
9.10	Flammability:	No data available on this product					
9.11	Upper/Lower Flammability Limits:	No data available on this product					
9.12	Vapor Pressure:	No data available on this product					

MENZ 5 Minute Haircolor		SAFETY DATA SHEET		Page 3 of 4
Prepared to US-OSHA & GHS Standards		SDS Revision: 3.0	SDS Revision Date: 06Feb17	
9. PHYSICAL AND CHEMICAL PROPERTIES continued				
9.13	Vapor Density:	No data available on this product		
9.14	Relative Density (water=1.0):	0.970 - 0.990		
9.15	Solubility (in water):	Soluble		
9.16	Partition Coefficient (n-octanol/water):	No data available on this product		
9.17	Autoignition Temperature:	No data available on this product		
9.18	Decomposition Temperature:	No data available on this product		
9.19	Viscosity:	10,000 cP minimum (50% in water)		
9.20	Other Information:	NA		
10. STABILITY AND REACTIVITY				
10.1	Reactivity:	None under normal use conditions.		
10.2	Chemical Stability:	This product is stable under normal handling and storage conditions.		
10.3	Possibility of Hazardous Reactions:	None known. Hazardous polymerization is not expected.		
10.4	Conditions to Avoid:	Sparks, open flame, other ignition sources, and elevated temperatures. Avoid freezing.		
10.5	Incompatible Materials:	Strong acids, strong bases, strong oxidizing and reducing agents.		
10.6	Hazardous Decomposition Products:	None known. May produce oxides of carbon and/or nitrogen on combustion.		
11. TOXICOLOGICAL INFORMATION				
11.1	Acute Potential Health Effects:	<u>Ingestion:</u> May cause gastrointestinal irritation. Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness). <u>Eyes:</u> Causes serious eye irritation. <u>Skin:</u> Causes skin irritation. May cause allergic contact dermatitis to sensitized individuals. <u>Inhalation:</u> May cause irritation to respiratory tract. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness).		
11.2	Chronic Potential Health Effects:	Prolonged/repeated skin exposure may cause defatting, drying and cracking of the skin.		
11.3	Acute Toxicity:	No data available on this product		
11.4	Skin Corrosion/Irritation:	No data available on this product		
11.5	Serious Eye Damage/Irritation:	No data available on this product		
11.6	Respiratory or Skin Sensitization:	No data available on this product		
11.7	Germ Cell Mutagenicity:	Germ cell mutagenicity of the mixture has not been determined. Components at levels greater than or equal to 0.1% listed as suspected of causing genetic defects: p-Aminophenol		
11.8	Carcinogenicity:	Carcinogenicity of the mixture has not been determined. Components at levels greater than or equal to 0.1% listed as possibly carcinogenic to humans by IARC: Cocamide DEA, Diethanolamine		
11.9	Reproductive Toxicity:	No data available on this product		
11.10	STOT-Single Exposure:	No data available on this product		
11.11	STOT-Repeated Exposure:	No data available on this product		
11.12	Aspiration Hazard:	No data available on this product		
12. ECOLOGICAL INFORMATION				
12.1	Ecotoxicity:	No data available on this product		
12.2	Persistence and Degradability:	No data available on this product		
12.3	Bioaccumulative Potential:	No data available on this product		
12.4	Mobility in Soil:	No data available on this product		
12.5	Other Adverse Effects:	No data available on this product		
13. DISPOSAL CONSIDERATIONS				
13.1	Waste Disposal Methods:	Dispose of in accordance with appropriate Federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken for local recycling, recovery or waste disposal.		
13.2	Special Considerations:	U.S. EPA Waste Number: RCRA D001/Unlisted Ignitable Hazardous Waste; RCRA U201, Resorcinol = 5,000 lbs		

MENZ 5 Minute Haircolor		SAFETY DATA SHEET		Page 4 of 4
Prepared to US-OSHA & GHS Standards		SDS Revision: 3.0	SDS Revision Date: 06Feb17	
14. TRANSPORT INFORMATION				
UN number, UN proper shipping name, transport hazard class, and packing group is shown for each mode of transportation, as applicable.				
14.1	US DOT (GROUND):	Consumer Commodity, Limited Quantity		
14.2	IATA (AIR):	Consumer Commodity, ID 8000, Class 9		
14.3	IMDG (OCEAN):	UN 1266, Perfumery Products with flammable liquid, Class 3, PG III, Ltd. Qty.		
14.4	TDG (Canadian GROUND):	Consumer Commodity, Limited Quantity		
14.5	ADR/RID (EU ROAD/RAIL):	UN 1266, Perfumery Products with flammable liquid, Class 3, PG III, Ltd. Qty.		
14.6	Environmental Hazards:	No information available		
14.7	Special Precautions for User:	NA		
15. REGULATORY INFORMATION				
15.1	SARA Title III Sections 302/304 and 313:	p-Phenylenediamine; Diethanolamine		
15.2	CAA Section 112 (Threshold Quantities):	None		
15.3	CWA:	None		
15.4	CERCLA Reportable Quantity:	RCRA D001/Unlisted Ignitable Hazardous Waste, Isopropanol = 100 lbs; RCRA U201, Resorcinol = 5,000 lbs p-Phenylenediamine = 5,000 lbs; Diethanolamine = 100 lbs		
15.5	California Proposition 65:	This product contains the following chemicals listed by California under Prop 65 as being known to cause cancer: Cocamide DEA, Diethanolamine		
15.6	Canada WHMIS:	Cosmetics, devices, drugs and foods are excluded from WHMIS regulations.		
15.7	EU-OSHA:	Cosmetics, foods, and medicines are excluded from Regulation EC 1272/2008.		
16. OTHER INFORMATION				
16.1	Legend:	GHS: Globally Harmonized System of Classification and Labeling Chemicals CAS: Chemical Abstracts Service OSHA: (US) Occupational Safety & Health Administration ACGIH: American Conference of Governmental Industrial Hygienists NIOSH: National Institute for Occupational Safety and Health WEEL: Workplace Environmental Exposure Limits PEL: Permissible Exposure Limit TWA: Time Weighted Average TLV: Threshold Limit Value REL: Recommended Exposure Limit STOT: Specific Target Organ Toxicity EPA: (US) Environmental Protection Agency DOT: (US) Department of Transportation IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods TDG: (Canada) Transportation of Dangerous Goods ADR: (EU) Agreement Concerning International Carriage of Dangerous Goods by Road RID: (EU) Regulations Concerning International Transport of Dangerous Goods by Rail SARA: Superfund Amendments and Reauthorization Act CAA: Clean Air Act CWA: Clean Water Act CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act WHMIS: (Canada) Workplace Hazardous Materials Information System EU-OSHA: European Agency for Safety and Health at Work NA: Not Applicable NE: Not Established		
16.2	Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be accurate as of the date of publication. This information is offered in good faith by Scruples Professional Salon Products, Inc. and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are provided. If this product(s) is combined with other materials, all component properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the nature of the product.		
16.3	Last Revision Date:	21Aug14		
16.4	Reason for Revision:	Update format.		