

AMERICAN INTERNATIONAL INDUSTRIES

Safety Data Sheet SuperNail Progels Top Coat

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name SuperNail Progels Top Coat

Product number 80306

Other means of identification

Nail/Beauty Care

Details of the supplier of the safety data sheet

Name American International Industries

Address 2220 Gaspar Ave

Los Angeles, CA 90040

USA

Telephone 323-728-2999

Emergency telephone number

Chem-Tel: 1(800) 255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

- Eye damage/irritation (chapter 3.3), Cat. 2, H319
- Sensitization, skin (chapter 3.4), Cat. 1, H317
- Skin corrosion/irritation (chapter 3.2), Cat. 2, H315
- Acute toxicity, oral (chapter 3.1), Cat. 4, H302

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

Hazard pictograms

Version: 1.0, Date of issue: 2016-08-31 p. 1 of 7



Signal word Warning

Hazard statement(s)

H317 May cause an allergic skin reaction H319 Causes serious eye irritation May cause drowsiness or dizziness H336 Harmful if swallowed H302 Causes skin irritation H315

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352

IF ON SKIN: Wash with plenty of water/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. P332+P313

If skin irritation or a rash occurs: Get medical advice/attention. P333+P313

P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. Store in a well ventilated place. Keep container tightly closed. P403+P233

P405 Store locked up.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell,

P330 Rinse mouth.

SECTION 3: Composition/information on ingredients

Mixtures

Components	
Component	Concentration
Di-HEMA Trimethylhexyl Dicarbamate (CAS no.: 72869-86-4)	40 - 70 %
CLASSIFICATIONS: Sensitization, skin (chapter 3.4), Cat. 1. HAZARDS: H317 - May cause an allergic skin reaction	
Isobornyl Acrylate (CAS no.: 5888-33-5; EC no.: 227-561-6)	10 - 25%
CLASSIFICATIONS: Eye damage/irritation (chapter 3.3), Cat. 2; Skin corrosion/irritation	(chapter 3.2), Cat. 2; Sensitization, skin (chapter
3.4), Cat. 1. HAZARDS: H315 - Causes skin irritation; H317 - May cause an allergic skin reaction; H319 - Causes serious eye irritation.	
HEMA (CAS no.: 868-77-9)	10 – 20%
CLASSIFICATIONS: Eye damage/irritation (chapter 3.3), Cat. 2; Skin corrosion/irritation	
3.4), Cat. 1. HAZARDS: H315 - Causes skin irritation; H317 - May cause an allergic skin	reaction; H319 - Causes serious eye irritation.
Trimethylolpropane Triacrylate(CAS no.: 15625-89-5)	5 – 15%
CLASSIFICATIONS: Hazardous to the aquatic environment - long-term hazard (chapter	
Cat. 2; Skin corrosion/irritation (chapter 3.2), Cat. 2; Sensitization, skin (chapter 3.4), Cat. 1. HAZARDS: H315 - Causes skin irritation; H317	
- May cause an allergic skin reaction; H319 - Causes serious eye irritation.; H412 - Harmful to aquatic life with long lasting effects	
Hydroxypropyl Methacrylate (CAS no.: 27813-02-1)	5 – 10%
CLASSIFICATIONS: Eye damage/irritation (chapter 3.3), Cat. 2; Skin corrosion/irritation (chapter 3.2), Cat. 2; Sensitization, skin (chapter	
3.4), Cat. 1. HAZARDS: H315 - Causes skin irritation; H317 - May cause an allergic skin reaction; H319 - Causes serious eye irritation.	
Benzoyl Isopropanol (CAS no.: 7473-98-5)	0.1 - 5 %
CLASSIFICATIONS: ; Acute toxicity, oral (chapter 3.1), Cat. 4; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat.	
3. HAZARDS: H302 - Harmful if swallowed; H412 - Harmful to aquatic life with long lasting effects	
Ethyl Trimethylbenzoyl Phenylphosphinate (CAS no.: 84434-11-7)	0.1 - 5 %

CLASSIFICATIONS: ; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 2; Sensitization, skin (chapter 3.4), Cat. 1B. HAZARDS: H317 - May cause an allergic skin reaction; H411 - Toxic to aquatic life with long lasting effects.

SECTION 4: First aid measures

Description of first aid measures

General notes Though this product is non hazardous for its indented use, in all cases, if

symptoms persists contact a physician.

Following inhalation Remove to fresh air. Seek medical attention if discomfort persists.

Following skin contact Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

Following eye contact Rinse thoroughly with plenty of water for at least 15 minutes. Get medical

attention if symptoms occur.

Following ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Consult a physician.

Self-protection of the first aider

Use personal protective equipment.

Most important symptoms and effects, both acute and delayed

If inhaled for long periods of time, can cause dizzyness/drowsiness, headache and nausea

SECTION 5: Firefighting measures

Extinguishing media

Dry chemical, carbon dioxide, Halon foam.

Special hazards arising from the substance or mixture

None

Advice for firefighters

Use NIOSH approved self-contained breathing apparatus in the pressure demand mode. Isolate fire area. Remove all personnel.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Household: Absorb with inert material and place in a appropriate waste disposal

Industrial: Avoid contact with skin, eyes, and clothing. Remove all sources of ignition. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

Environmental precautions

Household: Do not place spilled product in any drain or water system that can go into the environment. Industrial: Should not be released into the environment.

Methods and material for containment and cleaning up

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii. Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately

notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product

Conditions for safe storage, including any incompatibilities

Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care.

Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure controls

Appropriate engineering controls

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

Personal protection equipment

Eye and face protection

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

Skin protection

Wear protective gloves/ protective clothing/eye protection as needed.

Body protection

Body Protection: None required with normal use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.

Respiratory protection

No respiratory protection is required under typical circumstances of use and handling. If necessary, use only respiratory protection authorized by U.S. OSHA 29 CFR §1920.134, or applicable U.S. local state regulations,

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Viscous gel Odour Acrylate

Odour threshold

pH

No data available.

Evaporation rate No data available.

Flammability (solid, gas)
Upper/lower flammability limits
Upper/lower explosive limits
Vapour pressure
Vapour density
Relative density
Solubilit(ies)
Partition coefficient: n-octanol/water

Auto-ignition temperature Decomposition temperature

Viscosity

Explosive properties Oxidising properties Specific gravity No data available.
Water insoluble
No data available.
1,000 - 4,000cps
No data available.
No data available.

Not available

SECTION 10: Stability and reactivity

Reactivity

None under normal use conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal use conditions.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Skin corrosion/irritation

Causes skin irritation and exposure to the skin can cause an allergic reaction

Serious eye damage/irritation

Causes eye irritation.

Respiratory or skin sensitization

May cause respiratory irritation and skin sensitization.

Germ cell mutagenicity

None known

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH,NTP, or EPA classification.

Reproductive toxicity

None known

STOT-single exposure

May cause respiratory irritation and drowsiness or dizziness

STOT-repeated exposure

None known

Aspiration hazard

No data available.

SECTION 12: Ecological information

Toxicity

Large volumes of this product may be harmful to aquatic life.

SECTION 13: Disposal considerations

Waste treatment methods

Disposal of the product

Dispose of in accordance with federal, state and local regulations.

SECTION 14: Transport information

DOT (US)

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Jersey Right To Know Components

No components are subject to the New Jersey Right to Know Act.

Pennsylvania Right To Know Components

No components are subject to the Pennsylvania Right To Know Act.

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Toxic Substances Control Act (TSCA) Inventory

The components of this product are TSCA listed

WHMIS (Canada)

Not subject to WHMIS classification.

HMIS Rating

Health * 1
Flammability 0
Physical hazard 0

Personal protection E

NFPA Rating

Health hazard 1
Fire hazard 0
Reactivity hazard 0
Special hazard

SECTION 16: Other information

Full text of hazard statements referenced in Section 2

H302 Harmful if swallowed H315 Causes skin irritation

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation

Further information/disclaimer

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.