



AMERICAN INTERNATIONAL INDUSTRIES

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name IBD Advanced Wear PRO Nail Lacquers (Various Colors)

Product number See section 16 for reference numbers

Relevant identified uses of the substance or mixture and uses advised against

Uses:

Nail Lacquer

Details of the supplier of the safety data sheet

Name American International Industries
Address 2220 Gaspar Ave
Los Angeles, CA 90040
USA

Telephone 323-728-2999

Emergency telephone number

Chem-Tel: 1(800) 255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

- Eye damage/irritation (chapter 3.3), Cat. 2, H319
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3, H335,H336
- Flammable liquids (chapter 2.6), Cat. 2, H225

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

Label elements

Labeling according to Regulation (EC) No 1272/2008 [CLP] and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

Hazard pictograms

Safety Data Sheet
IBD Advanced Wear PRO Nail Lacquers (Various Colors)



Signal word

Danger

Hazard statement(s)

H319 Causes serious eye irritation
 H335 May cause respiratory irritation
 H336 May cause drowsiness or dizziness
 H225 Highly flammable liquid and vapor

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
 P312 Call a POISON CENTER/doctor/... if you feel unwell.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P403+P233 Store in a well ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P240 Ground/bond container and receiving equipment.
 P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P403+P235 Store in a well ventilated place. Keep cool.

SECTION 3: Composition/information on ingredients

Mixtures

Components

Component	Concentration
Ethyl Acetate (CAS no.: 141-78-6; EC no.: 205-500-4; Index no.: 607-022-00-5)	20- 45 %
CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 2; Eye damage/irritation (chapter 3.3), Cat. 2; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye irritation; H336 - May cause drowsiness or dizziness.	
Butyl Acetate CAS no.: 123-86-4; EC no.: 204-658-1; Index no.: 607-025-00-1)	20- 45 %
CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 3; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. HAZARDS: H226 - Flammable liquid and vapor; H336 - May cause drowsiness or dizziness.	
Nitrocellulose (CAS no.: 9004-70-0)	5 - 15 %
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
Isopropyl Alcohol (CAS no.: 67-63-0; EC no.: 200-661-7; Index no.: 603-117-00-0)	1 - 10 %
CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 2; Eye damage/irritation (chapter 3.3), Cat. 2; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye irritation; H336 - May cause drowsiness or dizziness.	

SECTION 4: First aid measures

Description of first aid measures

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

General notes	Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.
Following inhalation	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Following skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
Following eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Following ingestion	Get medical attention immediately. If swallowed, do NOT induce vomiting. Contact a physician or a poison control center immediately. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Use personal protective equipment.

Most important symptoms and effects, both acute and delayed

If inhaled for long periods of time, can cause dizziness/drowsiness, headache and nausea.

SECTION 5: Firefighting measures

Extinguishing media

Dry chemical, carbon dioxide, Halon foam. Water may be ineffective. Water spray may be used to keep fire exposed containers cool and to disperse vapors.

Special hazards arising from the substance or mixture

Vapors can travel to a source of ignition and flashback. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

Advice for firefighters

First responders should wear eye protection. Structural fire-fighters must wear MSHA/NIOSH approved SCBA and full protective equipment. Use a water spray or fog to reduce vapors. Water may not be effective in extinguishing a fire involving this product.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Household: Absorb with inert material and place in a appropriate waste disposal

Industrial: Avoid contact with skin, eyes, and clothing. Remove all sources of ignition. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

Environmental precautions

Household: Do not place spilled product in any drain or water system that can go into the environment.

Industrial: Should not be released into the environment.

Methods and material for containment and cleaning up

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii. Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

Conditions for safe storage, including any incompatibilities

Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care.

Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 123-86-4

n-Butyl-acetate

Cal/OSHA: 150 ppm, (ST) 200 ppm PEL inhalation; NIOSH: 150 ppm, (ST) 200 ppm REL inhalation; OSHA: 150 ppm PEL inhalation; 710 mg/m³ PEL inhalation

CAS: 141-78-6

Ethyl acetate

Cal/OSHA: 400 ppm PEL inhalation; NIOSH: 400 ppm REL inhalation; OSHA: 400 ppm PEL inhalation; 1400 mg/m³ PEL inhalation

CAS: 67-63-0

Isopropyl alcohol

Cal/OSHA: 400 ppm, (ST) 500 ppm PEL inhalation; NIOSH: 400 ppm, (ST) 500 ppm REL inhalation; OSHA: 400 ppm PEL inhalation; 980 mg/m³ PEL inhalation

Exposure controls

Appropriate engineering controls

Distribution, Workplace and Household Settings: Ensure adequate ventilation. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal protection equipment

Eye and face protection

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

Skin protection

Skin Protection: None required with normal household use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.

Body protection

No special body protection is required for this product under typical use and handling.

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

Respiratory protection

No respiratory protection is required under typical circumstances of use and handling. If necessary, use only respiratory protection authorized by U.S. OSHA 29 CFR §1920.134, or applicable U.S. local state regulations,

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Viscous Liquid
Odour	Sweet ester
Odour threshold	No data available.
pH	Not applicable
Melting point / freezing point	No data available.
Initial boiling point and boiling range	77 C (171 F) - 338 (640 F)
Flash point	- 4.44 C (24 F)
Evaporation rate	No data available.
Flammability (solid, gas)	Flammable
Upper/lower flammability limits	UEL: 12.% LEL:1.7%
VOC	1.44 lb/gal
Vapour pressure	No data available.
Vapour density	No data available.
Relative density	No data available.
Solubilit(ies)	Slightly
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidising properties	No data available.
Specific gravity (H2O=1)	1.01

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Incompatible materials

Acids, Alkalies, and Peroxides

Hazardous decomposition products

If exposed to extremely high temperatures, the products of decomposition may include irritating vapors and carbon oxide gases (e.g. CO₂, CO).

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Vapors may cause drowsiness and dizziness.

Skin corrosion/irritation

Causes skin irritation and exposure to the skin can cause dermatitis.

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

Serious eye damage/irritation

May be irritating to eyes

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

May cause respiratory irritation

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

SECTION 12: Ecological information

Toxicity

Do not let product enter drains.

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

SECTION 13: Disposal considerations

Waste treatment methods**Disposal of the product**

Dispose of in accordance with federal, state and local regulations.

SECTION 14: Transport information

DOT (US)

UN Number: 1263

Class: 3

Packing Group: II

Proper Shipping Name: Paint

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

IMDG

UN Number: 1263

Class: 3

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

Packing Group: II
Proper Shipping Name: Paint

IATA

UN ID: ID8000
Hazard Class: 9
Packing instructions: Y963
Proper Shipping Name: Consumer Commodity

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Massachusetts Right To Know Components

Chemical name: Butyl acetate
CAS number: 123-86-4

New Jersey Right To Know Components

Common name: n-BUTYL ACETATE
CAS number: 123-86-4

Pennsylvania Right To Know Components

Chemical name: Acetic acid, butyl ester
CAS number: 123-86-4

Massachusetts Right To Know Components

Chemical name: Ethyl acetate
CAS number: 141-78-6

New Jersey Right To Know Components

Common name: ETHYL ACETATE
CAS number: 141-78-6

Pennsylvania Right To Know Components

Chemical name: Acetic acid ethyl ester
CAS number: 141-78-6

New Jersey Right To Know Components

Common name: NITROCELLULOSE
CAS number: 9004-70-0

Pennsylvania Right To Know Components

Chemical name: Cellulose, nitrate
CAS number: 9004-70-0

Massachusetts Right To Know Components

Chemical name: Isopropyl alcohol (mfg-strong acid process)
CAS number: 67-63-0

New Jersey Right To Know Components

Common name: ISOPROPYL ALCOHOL
CAS number: 67-63-0

Pennsylvania Right To Know Components

Chemical name: 2-Propanol
CAS number: 67-63-0

SECTION 16: Other information

Full text of hazard statements referenced in Section 2

H225

Highly flammable liquid and vapor

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

Reference Numbers and Item Description

65293 - IBD Advanced Wear Pro Lacquer Fireworks
65294 - IBD Advanced Wear Pro Lacquer Sea Pearl
65295 - IBD Advanced Wear Pro Lacquer Whipped Cream
65296 - IBD Advanced Wear Pro Lacquer Carte Blanche
65297 - IBD Advanced Wear Pro Lacquer Silver Lites
65298 - IBD Advanced Wear Pro Lacquer All That Glitters
65300 - IBD Advanced Wear Pro Lacquer Cashmere Blush
65301 - IBD Advanced Wear Pro Lacquer Indie Oasis
65302 - IBD Advanced Wear Pro Lacquer Moroccan Spice
65303 - IBD Advanced Wear Pro Lacquer Beauty Sleep
65304 - IBD Advanced Wear Pro Lacquer Im No Damsel
65305 - IBD Advanced Wear Pro Lacquer Seashell Pink
65307 - IBD Advanced Wear Pro Lacquer So In Love
65308 - IBD Advanced Wear Pro Lacquer Debutante Ball
65310 - IBD Advanced Wear Pro Lacquer Naturally Beautiful
65311 - IBD Advanced Wear Pro Lacquer Juliet
65312 - IBD Advanced Wear Pro Lacquer Flowerful
65313 - IBD Advanced Wear Pro Lacquer Rome Around
65315 - IBD Advanced Wear Pro Lacquer Funny Bone
65316 - IBD Advanced Wear Pro Lacquer Tickled Pink
65317 - IBD Advanced Wear Pro Lacquer Gerber Daisy
65319 - IBD Advanced Wear Pro Lacquer Ingenue
65320 - IBD Advanced Wear Pro Lacquer Starburst
65321 - IBD Advanced Wear Pro Lacquer Rose Lite District
65322 - IBD Advanced Wear Pro Lacquer Parisol
65323 - IBD Advanced Wear Pro Lacquer Vespas & Siestas
65324 - IBD Advanced Wear Pro Lacquer Frozen Strawberry
65325 - IBD Advanced Wear Pro Lacquer Peony Bouquet
65328 - IBD Advanced Wear Pro Lacquer All Heart
65329 - IBD Advanced Wear Pro Lacquer Maui Sunset
65331 - IBD Advanced Wear Pro Lacquer Mocha Pink
65332 - IBD Advanced Wear Pro Lacquer Mauve Over
65333 - IBD Advanced Wear Pro Lacquer Brazen Beat
65334 - IBD Advanced Wear Pro Lacquer Infinitely Curious
65335 - IBD Advanced Wear Pro Lacquer Eye Poppie
65337 - IBD Advanced Wear Pro Lacquer Head to Toe Gelato
65338 - IBD Advanced Wear Pro Lacquer Serendipity
65339 - IBD Advanced Wear Pro Lacquer Mango Mischief
65343 - IBD Advanced Wear Pro Lacquer Vixen Rouge
65345 - IBD Advanced Wear Pro Lacquer Burning Flame
65346 - IBD Advanced Wear Pro Lacquer Marigold
65347 - IBD Advanced Wear Pro Lacquer Lucky Red
65348 - IBD Advanced Wear Pro Lacquer Bing Cherries
65350 - IBD Advanced Wear Pro Lacquer Luck of the Draw
65351 - IBD Advanced Wear Pro Lacquer Enthralled
65352 - IBD Advanced Wear Pro Lacquer Cosmic Red
65353 - IBD Advanced Wear Pro Lacquer Breathtaking
65354 - IBD Advanced Wear Pro Lacquer Brandy Wine
65355 - IBD Advanced Wear Pro Lacquer Mogul
65356 - IBD Advanced Wear Pro Lacquer Truly Madly Deeply
65357 - IBD Advanced Wear Pro Lacquer Bustled UP

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

65358 - IBD Advanced Wear Pro Lacquer Petal Imprint
65359 - IBD Advanced Wear Pro Lacquer Catwalk Alley
65360 - IBD Advanced Wear Pro Lacquer Amethyst Surprise
65361 - IBD Advanced Wear Pro Lacquer My Babe
65362 - IBD Advanced Wear Pro Lacquer Cashmere Cutie
65363 - IBD Advanced Wear Pro Lacquer Heedless to say
65364 - IBD Advanced Wear Pro Lacquer Slurple Purple
65365 - IBD Advanced Wear Pro Lacquer Con-fuchsion
65366 - IBD Advanced Wear Pro Lacquer Molly
65367 - IBD Advanced Wear Pro Lacquer Indian Sari
65368 - IBD Advanced Wear Pro Lacquer HRH
65369 - IBD Advanced Wear Pro Lacquer Plum Raven
65370 - IBD Advanced Wear Pro Lacquer Luxe Street
65371 - IBD Advanced Wear Pro Lacquer Inspire Me
65372 - IBD Advanced Wear Pro Lacquer Sweet Sanctuary
65373 - IBD Advanced Wear Pro Lacquer Smokey Plum
65374 - IBD Advanced Wear Pro Lacquer Aphrodite
65375 - IBD Advanced Wear Pro Lacquer Raindrops
65376 - IBD Advanced Wear Pro Lacquer Bardot Indigo
65377 - IBD Advanced Wear Pro Lacquer Riviera Rendezvous
65378 - IBD Advanced Wear Pro Lacquer Sargasso Sea
65379 - IBD Advanced Wear Pro Lacquer So Cryptic
65380 - IBD Advanced Wear Pro Lacquer Blue Haven
65381 - IBD Advanced Wear Pro Lacquer Calm Oasis
65382 - IBD Advanced Wear Pro Lacquer Jupiter Blue
65383 - IBD Advanced Wear Pro Lacquer Hippie Dippies
65384 - IBD Advanced Wear Pro Lacquer Meteorite
65385 - IBD Advanced Wear Pro Lacquer The Abyss
65386 - IBD Advanced Wear Pro Lacquer Hot Springs
65387 - IBD Advanced Wear Pro Lacquer Just Me N Capri
65388 - IBD Advanced Wear Pro Lacquer Eden
65389 - IBD Advanced Wear Pro Lacquer Turtle Bay
65390 - IBD Advanced Wear Pro Lacquer Metro Pose
65391 - IBD Advanced Wear Pro Lacquer Green Monster
65392 - IBD Advanced Wear Pro Lacquer Solar Rays
65393 - IBD Advanced Wear Pro Lacquer Rocco
65394 - IBD Advanced Wear Pro Lacquer Fall Forward
65395 - IBD Advanced Wear Pro Lacquer Dolomite
65396 - IBD Advanced Wear Pro Lacquer Head in the Clouds
65397 - IBD Advanced Wear Pro Lacquer Polar Sky
65398 - IBD Advanced Wear Pro Lacquer Patchwork
65401 - IBD Advanced Wear Pro Lacquer - Black Lava
65402 - IBD Advanced Wear Pro Lacquer - Black Lava
65408 - IBD Advanced Wear Pro Lacquer Full Blu-um
69966 IBD Advanced Wear Pro Lacquer Baked To Perfection
69967 IBD Advanced Wear Pro Lacquer Lush Blush
69968 IBD Advanced Wear Pro Lacquer Pinkies N Cream
69969 IBD Advanced Wear Pro Lacquer Stole Your Mandarin
69970 IBD Advanced Wear Pro Lacquer Peach Better Have My \$
69971 IBD Advanced Wear Pro Lacquer Glow Up
69972 IBD Advanced Wear Pro Lacquer Concealed With A Kiss
69973 IBD Advanced Wear Pro Lacquer Came.Saw.Contoured
65102 IBD Advanced Wear Pro-Lacquer 308BL Sleigh All Day
65103 IBD Advanced Wear Pro-Lacquer 309BL Above Ski Level
65104 IBD Advanced Wear Pro-Lacquer 310BL Snow Limit

Safety Data Sheet

IBD Advanced Wear PRO Nail Lacquers (Various Colors)

65106	IBD Advanced Wear Pro-Lacquer 311BL Apres Hours
65114	IBD Advanced Wear Pro-Lacquer 312BL Froze
65138	IBD Advanced Wear Pro-Lacquer 313BL Retreat Yourself
65139	IBD Advanced Wear Pro-Lacquer 314BL Boots With The Brr
65140	IBD Advanced Wear Pro-Lacquer 315BL Spriterland
63270	IBD Advanced Wear Pro Lacquer – Palermo
63273	IBD Advanced Wear Pro Lacquer - Rich Rosewater
63279	IBD Advanced Wear Pro Lacquer - Pink Putty
63279	IBD Advanced Wear Pro Lacquer - Lilac Sand
63267	IBD Advanced Wear Pro Lacquer - Summer Cinnamon
63285	IBD Advanced Wear Pro Lacquer - Unbleached

Further information/disclaimer

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.