



## AMERICAN INTERNATIONAL INDUSTRIES

### Safety Data Sheet

### Reactiv8 Intensive Thickening Treatment All Hair Types (Foamer)

---

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### Product identifier

Product name                                      Reactiv8 Intensive Thickening Treatment All Hair Types(Foamer)

Product number                                      92059

##### Relevant identified uses of the substance or mixture and uses advised against

Uses:

Remover

##### Details of the supplier of the safety data sheet

Name    American International Industries  
Address    2220 Gaspar Ave  
    Los Angeles, CA 90040  
    USA

Telephone    323-728-2999

##### Emergency telephone number

Chem-Tel: 1(800) 255-3924

---

#### SECTION 2: Hazards identification

##### Classification of the substance or mixture

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

##### Classification according to Regulation (EC) No 1272/2008 (CLP) and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

- Eye damage/irritation (chapter 3.3), Cat. 2A, H319
- Flammable liquids (chapter 2.6), Cat. 3, H226
- Skin corrosion/irritation (chapter 3.2), Cat. 2, H315

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

##### Label elements

Labeling according to Regulation (EC) No 1272/2008 [CLP] and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

# Safety Data Sheet

## Reactiv8 Intensive Thickening Treatment All Hair Types (Foamer)

### Hazard pictograms



### Signal word

**Warning**

### Hazard statement(s)

H319

Causes serious eye irritation

H226

Flammable liquid and vapor

H315

Causes skin irritation

### Precautionary statement(s)

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P312

Call a POISON CENTER/doctor/... if you feel unwell.

P337+P313

If eye irritation persists: Get medical advice/attention.

P403+P233

Store in a well ventilated place. Keep container tightly closed.

P405

Store locked up.

P210

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

P233

Keep container tightly closed.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242

Use only non-sparking tools.

P243

Take precautionary measures against static discharge.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235

Store in a well ventilated place. Keep cool.

P102

Keep out of reach of children

## SECTION 3: Composition/information on ingredients

### Mixtures

### Components

| Component   | Concentration   |
|---|-----------------|
| <b>Non Hazardous</b>  | <b>85 - 97%</b> |
| CLASSIFICATIONS: Not Classified. HAZARDS: Non Hazardous.  |                 |
| <b>Alcohol Denat. (CAS no.: 64-17-5; EC no.: 200-578-6 (I))</b>   | <b>1 - 5 %</b>  |
| CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 3; Eye damage/irritation (chapter 3.3), Cat. 2. HAZARDS: H319 - Causes serious eye irritation. H225 - Flammable liquid and vapor |                 |

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

## Safety Data Sheet

### Reactiv8 Intensive Thickening Treatment All Hair Types (Foamer)

|                                    |   |
|------------------------------------|---|
| Following inhalation               | If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.   |
| Following skin contact             | Rinse with plenty of water. Get medical attention if irritation develops and persists.  |
| Following eye contact              | Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.   |
| Following ingestion                | Get medical attention immediately. If swallowed, do NOT induce vomiting. Contact a physician or a poison control center immediately. Never give anything by mouth to an unconscious person. |
| Self-protection of the first aider | Use personal protective equipment.  |

#### Most important symptoms and effects, both acute and delayed

If inhaled for long periods of time, can cause dizziness/drowsiness, headache and nausea.

---

## SECTION 5: Firefighting measures

#### Extinguishing media

Dry chemical, carbon dioxide, Halon foam. Water may be ineffective. Water spray may be used to keep fire exposed containers cool and to disperse vapors.

#### Special hazards arising from the substance or mixture

Vapors can travel to a source of ignition and flashback. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

#### Advice for firefighters

First responders should wear eye protection. Structural fire-fighters must wear MSHA/NIOSH approved SCBA and full protective equipment. Use a water spray or fog to reduce vapors. Water may not be effective in extinguishing a fire involving this product.

---

## SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Household: Absorb with inert material and place in a appropriate waste disposal

Industrial: Avoid contact with skin, eyes, and clothing. Remove all sources of ignition. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

#### Environmental precautions

Household: Do not place spilled product in any drain or water system that can go into the environment.

Industrial: Should not be released into the environment.

#### Methods and material for containment and cleaning up

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii. Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

---

## SECTION 7: Handling and storage

## Safety Data Sheet

### Reactiv8 Intensive Thickening Treatment All Hair Types (Foamer)

#### Precautions for safe handling

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

#### Conditions for safe storage, including any incompatibilities

Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care.

Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### CAS: 64-17-5

Ethyl alcohol (Ethanol)

Cal/OSHA: 1000 ppm PEL inhalation; NIOSH: 1000 ppm REL inhalation; OSHA: 1000 ppm PEL inhalation; 1900 mg/m3 PEL inhalation

### Exposure controls

#### Appropriate engineering controls

Distribution, Workplace and Household Settings: Ensure adequate ventilation. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

### Personal protection equipment

#### Eye and face protection

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

#### Skin protection

Skin Protection: None required with normal household use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.

#### Body protection

No special body protection is required for this product under typical use and handling.

#### Respiratory protection

No respiratory protection is required under typical circumstances of use and handling. If necessary, use only respiratory protection authorized by U.S. OSHA 29 CFR §1920.134, or applicable U.S. local state regulations,

---

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

|   |                    |
|---|--------------------|
| Appearance                              | Transparent liquid |
| Odour                                   | Characteristic     |
| Odour threshold                         | No data available. |
| pH                                      | No data available. |
| Melting point / freezing point          | No data available. |
| Initial boiling point and boiling range | No data available. |
| Flash point                             | 48.9 C (120 F)     |
| Evaporation rate                        | No data available. |

## Safety Data Sheet

### Reactiv8 Intensive Thickening Treatment All Hair Types (Foamer)

|  |                    |
|--|--------------------|
| Flammability (solid, gas)              | Flammable          |
| Upper/lower flammability limits        | No data available. |
| VOC                                    | No data available  |
| Vapour pressure                        | No data available. |
| Vapour density                         | No data available. |
| Relative density                       | No data available. |
| Solubilit(ies)                         | Moderate           |
| Partition coefficient: n-octanol/water | No data available. |
| Auto-ignition temperature              | No data available. |
| Decomposition temperature              | No data available. |
| Viscosity                              | No data available. |
| Explosive properties                   | No data available. |
| Oxidising properties                   | No data available. |
| Specific Gravity                       | 0.95 – 0.98        |

---

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Incompatible materials

Acids, Alkalies, and Peroxides

### Hazardous decomposition products

If exposed to extremely high temperatures, the products of decomposition may include irritating vapors and carbon oxide gases (e.g. CO<sub>2</sub>, CO).

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

Vapors may cause drowsiness and dizziness.

Oral:

Low toxicity: LD<sub>50</sub>>2000 mg/kg, Rat Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.

Dermal:

Low toxicity: LD<sub>50</sub>>2000 mg/kg, Rabbit

#### Skin corrosion/irritation

Causes skin irritation and exposure to the skin can cause dermatitis.

#### Serious eye damage/irritation

May be irritating to eyes

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

## Safety Data Sheet

### Reactiv8 Intensive Thickening Treatment All Hair Types (Foamer)

**Reproductive toxicity**

No data available.

**STOT-single exposure**

No data available.

**STOT-repeated exposure**

No data available.

**Aspiration hazard**

No data available.

---

## SECTION 12: Ecological information

**Toxicity**

Do not let product enter drains.

**Persistence and degradability**

No data available.

**Bioaccumulative potential**

No data available.

**Mobility in soil**

No data available.

---

## SECTION 13: Disposal considerations

**Waste treatment methods****Disposal of the product**

Dispose of in accordance with federal, state and local regulations.

---

## SECTION 14: Transport information

**DOT (US)**

UN Number: 1993

Class: 3

Packing Group: III

Proper Shipping Name: Flammable liquid, n.o.s (ethanol solution)

**IMDG**

UN Number: 1993

Class: 3

Packing Group: III

Proper Shipping Name: Flammable liquid, n.o.s (ethanol solution)

**IATA**

UN ID: ID8000

Class: 9

Packing Instructions: Y963

Proper Shipping Name: Consumer Commodity

---

## SECTION 15: Regulatory information

## Safety Data Sheet

### Reactiv8 Intensive Thickening Treatment All Hair Types (Foamer)

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

#### New Jersey Right To Know Components

Common name: ETHYL ALCOHOL

CAS number: 64-17-5

#### Pennsylvania Right To Know Components

Chemical name: Ethanol

CAS number: 64-17-5

#### Toxic Substances Control Act (TSCA) Inventory

The components of this product are listed on the TSCA Inventory as appropriate.

#### SARA 311/312 Hazards

No SARA hazards.

#### CERCLA

None

#### WHMIS (Canada)

D2B – Eye irritation

B2 – Flammable Liquid

Included for disclosure at 0.1% or greater (Ethanol)

---

## SECTION 16: Other information

#### Full text of hazard statements referenced in Section 2

|      |                               |
|------|-------------------------------|
| H319 | Causes serious eye irritation |
| H315 | Causes skin irritation        |
| H226 | Flammable liquid and vapor    |

#### Further information/disclaimer

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.