Printing date 11/23/2021

Reviewed on 06/18/2019

## **1** Identification


- · Product identifier
- Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975
- · Article number: 99210002161, 91395799, 315000013863
- *Application of the substance / the mixture Cosmetic product Bleaching powder*
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier:
  Wella International Operations Switzerland Sàrl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland
- · Information department: Wella SDS Info Team
- Emergency telephone number: CHEMTREC Emergency number: +1-704-741-5970 CHEMTREC: +1 703-741-5970

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.





GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: dipotassium peroxodisulphate Silicic acid, sodium salt diammonium peroxodisulphate sodium stearate

• *Hazard statements Harmful if swallowed.* 

(Contd. on page 2)

<sup>–</sup> ÚS

Printing date 11/23/2021

Reviewed on 06/18/2019

### Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975

	(Contd. of page 1)
Causes skin irritation.	
Causes serious eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
· Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves / eye protection / face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathin	ng.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	ent and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Dispose of contents/container in accordance with local/regional/national/international regulated	ions.
Other hazards	
· Results of PBT and vPvB assessment	
• <b><i>PBT</i></b> : Not applicable.	

· vPvB: Not applicable.

## 3 Composition/information on ingredients

• Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7727-21-1	dipotassium peroxodisulphate	>25-≤50%
1332-58-7	Kaolin	>25-≤50%
1344-09-8	Silicic acid, sodium salt	>10-<20%
7727-54-0	diammonium peroxodisulphate	>2.5-<10%

## 4 First-aid measures

### · Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

US

Printing date 11/23/2021

Reviewed on 06/18/2019

Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975

(Contd. of page 2)

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- $\cdot$  Methods and material for containment and cleaning up:
- Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### · Protective Action Criteria for Chemicals

• PAC-1:		
7727-21-1	dipotassium peroxodisulphate	$0.3 mg/m^3$
1344-09-8	Silicic acid, sodium salt	5.9 mg/m <sup>3</sup>
7727-54-0	diammonium peroxodisulphate	$0.3 \ mg/m^3$
822-16-2	sodium stearate	0.17 mg/m <sup>3</sup>
139-33-3	Disodium EDTA	11 mg/m <sup>3</sup>
7631-86-9	Silica	18 mg/m <sup>3</sup>
· PAC-2:		
7727-21-1	dipotassium peroxodisulphate	26 mg/m <sup>3</sup>
1344-09-8	Silicic acid, sodium salt	65 mg/m <sup>3</sup>
7727-54-0	diammonium peroxodisulphate	22 mg/m <sup>3</sup>
822-16-2	sodium stearate	1.8 mg/m <sup>3</sup>
139-33-3	Disodium EDTA	120 mg/m <sup>3</sup>
7631-86-9	Silica	740 mg/m <sup>3</sup>
· PAC-3:		
7727-21-1	dipotassium peroxodisulphate	160 mg/m <sup>3</sup>
1344-09-8	Silicic acid, sodium salt	390 mg/m <sup>3</sup>
7727-54-0	diammonium peroxodisulphate	130 mg/m <sup>3</sup>
822-16-2	sodium stearate	11 mg/m <sup>3</sup>
		(Contd. on page

Printing date 11/23/2021

Reviewed on 06/18/2019

Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975

		(Contd. of page 3)
139-33-3	Disodium EDTA	$730 \text{ mg/m}^3$
7631-86-9	Silica	$4,500 \text{ mg/m}^3$

### 7 Handling and storage

· Handling:

• **Precautions for safe handling** Thorough dedusting.

*Ensure good ventilation/exhaustion at the workplace.* 

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Storage class: 13

• *Specific end use(s) No further relevant information available.* 

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

All	us time, the remaining constituent has no known exposure timus.
7723	7-21-1 dipotassium peroxodisulphate
TLV	Long-term value: $0.1 \text{ mg/m}^3$
	as persulfate
1332	2-58-7 Kaolin
PEL	Long-term value: 15* 5** mg/m <sup>3</sup>
	*total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m <sup>3</sup>
	*total dust **respirable fraction
TLV	Long-term value: 2* mg/m <sup>3</sup>
	E; as respirable fraction, A4
7723	7-54-0 diammonium peroxodisulphate
TLV	Long-term value: 0.1 mg/m <sup>3</sup>
	as persulfate
· Add	itional information: The lists that were valid during the creation were used as basis.
·Exp	osure controls
-	sonal protective equipment:
	eral protective and hygienic measures:
Кеер	p away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

(Contd. on page 5)

<sup>-</sup>US

Printing date 11/23/2021

Reviewed on 06/18/2019

Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975

(Contd. of page 4)

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Powder	
Color:	Light blue	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	9.3-10.1	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	

Printing date 11/23/2021

Reviewed on 06/18/2019

### Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975

		(Contd. of page
· Vapor pressure:	Not applicable.	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	0.1 %	
VOC content:	0.00 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:		
7727-21-1	dipotassiu	m peroxodisulphate
Oral	LD50	500 mg/kg (rat)
1344-09-8	Silicic aci	d, sodium salt
Oral	LD50	3,400 mg/kg (rat) (bw (Similar to OECD 401; standard acute method; ra)
Dermal	LD50	>5,000 mg/kg (rabbit) (bw (Read across data on AgSil TM 25 Potassium sili)
Inhalative	LC50/4 h	>2.06 mg/l (rat) (air (Read across data AgSil TM 25 Potassium silica)
7727-54-0	diammoni	um peroxodisulphate
Oral	LD50	500 mg/kg (rat)
Duiman invitant offect.		

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

· Sensitization:

Sensitization possible through inhalation.

(Contd. on page 7)

US

Printing date 11/23/2021

Reviewed on 06/18/2019

Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975

(Contd. of page 6)

3

3

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

9003-01-4 Carbomer

7631-86-9 Silica

## ·NTP (National Toxicology Program)

None of the ingredients is listed.

### **OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product
  - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	not regulated	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	not regulated	

Printing date 11/23/2021

Reviewed on 06/18/2019

## Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975

		(Contd. of page 7)
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	not regulated	

## **15 Regulatory information**

$\cdot$ Safety, health and environmental regulations/legislation specific for the substance or mixture
No further relevant information available.
· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• **TSCA (Toxic Substances Control Act):** All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

1332-58-7 Kaolin

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

US –

A4

Printing date 11/23/2021

Reviewed on 06/18/2019

Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975



## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Abteilung Umweltschutz

• Contact: Hr. Dr. Speckbacher

- Date of preparation / last revision 11/23/2021 / -
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

DOT: US Department of Transportation IATA: International Air Transport Association

US

Printing date 11/23/2021

Reviewed on 06/18/2019

## Trade name: Clairol Professional Kaleidocolors Clear Ice Clay Based Tonal Powder Lightener 320974, 320975

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eve Dam 1: Serious eve damage/eve irritation – Category 1	(Contd. of page 9
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	