Printing date 11/25/2021 Reviewed on 07/10/2019

1 Identification

· Product identifier

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

· Article number: 99210016572, 315000018690

· Application of the substance / the mixture

Cosmetic product Hair care products

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wella International Operations Switzerland Sarl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland

· Information department: Wella SDS Info Team

· Emergency telephone number:

CHEMTREC Emergency number: +1-704-741-5970

CHEMTREC: +1 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

Flammable liquid and vapor.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

US

Printing date 11/25/2021 Reviewed on 07/10/2019

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
64-17-5	ethyl alcohol	>25-≤50%
93685-81-5	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	>10-≤25%
107-46-0	hexamethyldisiloxane	>2.5-≤10%
56-81-5	glycerol	>2.5-≤10%

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

Printing date 11/25/2021 Reviewed on 07/10/2019

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

Protective A	ction Criteria for Chemicals	(Contd. of	page
<i>PAC-1</i> :			
64-17-5	ethyl alcohol	1,800) ppn
107-46-0	hexamethyldisiloxane	13 pp	m
56-81-5	glycerol	45 mg	g/m³
25086-89-9	VP/VA Copolymer	1.9 m	g/m³
63148-62-9	Dimethicone	65 mg	g/m³
70131-67-8	Polysiloxanes, di-Me, hydroxy-terminated	190 n	ng/m
1310-73-2	sodium hydroxide	0.5 m	g/m ³
100-51-6	Benzyl alcohol	30 pp	m
<i>PAC-2</i> :			
64-17-5	ethyl alcohol	3300*	ррт
	hexamethyldisiloxane	140 ppi	
56-81-5	glycerol	180 mg	
	VP/VA Copolymer	21 mg/i	
63148-62-9	Dimethicone	720 mg	
70131-67-8	Polysiloxanes, di-Me, hydroxy-terminated	2,100 n	ng/m
1310-73-2	sodium hydroxide	5 mg/m	3
100-51-6	Benzyl alcohol	52 ppm	!
<i>PAC-3</i> :			
64-17-5	ethyl alcohol	15000* ₁	ррт
107-46-0	hexamethyldisiloxane	150 ppm	!
56-81-5	glycerol	1,100 mg	g/m³
25086-89-9	VP/VA Copolymer	120 mg/1	m³
63148-62-9	Dimethicone	4,300 mg	g/m³
70131-67-8	Polysiloxanes, di-Me, hydroxy-terminated	13,000 n	ng/m
1310-73-2	sodium hydroxide	50 mg/m	3
100-51-6	Benzyl alcohol	740 ppm	!

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

Printing date 11/25/2021 Reviewed on 07/10/2019

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

(Contd. of page 3)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

64-1	64-17-5 ethyl alcohol		
PEL	Long-term value: 1900 mg/m³, 1000 ppm		
REL	Long-term value: 1900 mg/m³, 1000 ppm		
TLV	Short-term value: 1000 ppm		
	A3		
56-8 .	1-5 glycerol		
PEL	Long-term value: 15* 5** mg/m³		
	mist; *total dust **respirable fraction		
TLV	TLV withdrawn-insufficient data human occup. exp.		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 11/25/2021 Reviewed on 07/10/2019

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

(Contd. of page 4)

9 Physical and chemical propert	ties
· Information on basic physical and c	homical proportios
· General Information	nemical properties
· Appearance:	
Form:	Fluid
Color:	Clear
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	4.5-6.5
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	37 °C (98.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	410 °C (770 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	0.5 Vol %
Upper:	15 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	65.2 %
Water:	31.2 %
VOC content:	60.84 %
	608.4 g/l / 5.08 lb/gal
Solids content:	0.4 %
· Other information	No further relevant information available.

Reviewed on 07/10/2019 Printing date 11/25/2021

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects

· Acute toxicity:		
· LD/LC50	values that	are relevant for classification:
64-17-5 eti	hyl alcohol	l
Oral	LD50	10,470 mg/kg (rat) (bw (OECD 401))
Inhalative	LC50/4 h	116.9 mg/l (rat) (air (//OECD 403))
93685-81	5 Hydroca	rbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
Oral	LD50	>5,000 mg/kg (rat) (bw (//OECD 401))
Dermal	LD50	>2,000 mg/kg (rabbit) (bw (//OECD 402))
Inhalative	LC50/4 h	>15 mg/l (rat) (air (//OECD 403))
107-46-0 h	examethy	ldisiloxane
Oral	LD50	>12,160 mg/kg (rat) (bw)
Dermal	LD50	>2,000 mg/kg (rabbit) (bw (//OECD 402))
Inhalative	LC50/4 h	106 mg/l (rat) (air (OECD 403))
56-81-5 gl	ycerol	
Oral	LD50	23,000 mg/kg (rat)
Dermal	LD50	56,745 mg/kg (rabbit)
Inhalative	LC50/4 h	4,655 mg/l (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
64-17-5 ethyl alcohol	1
· NTP (National Toxicology Program)	

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Printing date 11/25/2021 Reviewed on 07/10/2019

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Trans	TO THE TIME	T O 14 144 (11	7074

· UN-Number	
DOT HIDO	T 475 4

· **DOT, IMDG, IATA** UN1266

· UN proper shipping name

• **DOT** Perfumery products

PERFUMERY PRODUCTS (hexamethyldisiloxane, 1H-imidazolium, 1-ethenyl-3-methyl-, chloride, polymer with 1-ethenyl-2-pyrrolidinone), MARINE POLLUTANT

· IATA PERFUMERY PRODUCTS

- · Transport hazard class(es)
- $\cdot DOT$

· IMDG



Class 3 Flammable liquids

(Contd. on page 8)

Printing date 11/25/2021 Reviewed on 07/10/2019

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

	(Contd. of page
Label	3
IMDG	
¥2	
Class	3 Flammable liquids
Label	3
IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
2	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1266 PERFUMERY PRODUCTS, 3, II ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

Printing date 11/25/2021 Reviewed on 07/10/2019

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

(Contd. of page 8) · Section 313 (Specific toxic chemical listings): None of the ingredients is listed. · TSCA (Toxic Substances Control Act): 7732-18-5 water, distilled, conductivity or of similar purity *ACTIVE* 64-17-5 ethyl alcohol ACTIVE 107-46-0 hexamethyldisiloxane *ACTIVE* 56-81-5 glycerol ACTIVE 25086-89-9 VP/VA Copolymer **ACTIVE** 63148-62-9 Dimethicone *ACTIVE* 79-33-4 L-Lactic acid (2-hydroxy propionic acid) *ACTIVE* 5466-77-3 Ethylhexyl Methoxycinnamate **ACTIVE** 70131-67-8 Polysiloxanes, di-Me, hydroxy-terminated **ACTIVE** 1310-73-2 sodium hydroxide **ACTIVE ACTIVE** 118-58-1 benzyl salicylate 81-48-1 Violet 2 **ACTIVE** 100-51-6 Benzyl alcohol *ACTIVE* · Hazardous Air Pollutants None of the ingredients is listed. Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: 64-17-5 ethyl alcohol · Carcinogenic categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value) 64-17-5 ethyl alcohol A3· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

Flammable liquid and vapor.

(Contd. on page 10)

Printing date 11/25/2021 Reviewed on 07/10/2019

Trade name: Clairol Professional Shimmer Lights Thermal Shine Spray

(Contd. of page 9)

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 11/25/2021 / -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids - Category 3

US